



Perfilería

ANGULO	DIMENSIONES		PESO
	A	E	KG/M
1/2*1/8	12,7	3,2	0,56
5/8*1/8	15,9	3,2	0,74
3/4*1/8	19	3,2	0,89
7/8*1/8	22,2	3,2	1,04
1*1/8	25,4	3,2	1,19
1*3/16	25,4	4,8	1,72
1 1/4*1/8	31,8	3,2	1,55
1 1/4*3/16	31,8	4,8	2,25
1 1/2*1/8	38,1	3,2	1,86
1 1/2*3/16	38,1	4,8	2,71
1 1/2*1/4	38,1	6,4	3,53
1 3/4*1/8	44,5	3,2	2,22
1 3/4*3/16	44,5	4,8	3,25
1 3/4*1/4	44,5	6,4	4,24
2*1/8	50,8	3,2	2,52
2*3/16	50,8	4,8	3,7
2*1/4	50,8	6,4	4,84
2 1/4*3/16	57,2	4,8	4,17
2 1/4*1/4	57,2	6,4	5,46
2 1/2*3/16	63,5	4,8	4,71
2 1/2*1/4	63,5	6,4	6,48
3*1/4	76,2	6,4	7,4
3 1/2*1/4	88,9	6,4	8,72



PERFIL T

MM	PULGADAS	ALTURA (H)	ANCHO (B)	ESPESOR (E)	KG/M
		MM	MM	MM	
19X19X3,2	3/4X3/4X1/8	19	19-ene	3,2	0,89
25,4X25,4X3,2	1X1X1/8	25	25	3,2	1,19
31,7X31,7X3,2	1 1/4X1 1/4X1/8	32	32	3,2	1,54
31,7X31,7X4,8	1 1/4X1 1/4X3/16	32	32	4,8	2,27
38,1X38,1X3,2	1 1/2X1 1/2 X 1/8	38	38	3,2	1,84
38,1X38,1X4,8	1 1/2X1 1/2X 3/16	38	38	4,8	2,72
51,4X51,4X4,8	2X2X3/16	51	51	4,8	3,69
51,4X51,4X6,4	2X2X1/4	51	51	6,4	4,87



U CHICO



MEDIDAS	LARGO (M)	KG/M
40X20X5	6	2,9
50X25X5	6	3,9
60X30X6	6	5,1
50X38X5	6	5,6
65X42X5,5	6	7,1

PLANCHUELAS LAMINADAS


ANCHO A		ESPESOR E								
PULGADA	MM	1/8"	3/16"	1/4"	5/16"	3/8"	1/2"	5/8"	3/4"	1"
		3,2MM	4,8MM	6,4MM	7,9MM	9,5MM	12,7MM	15,9MM	19,0MM	25,4MM
1/2	12,7	0,32	0,48	0,64						
5/8	15,9	0,4	0,6	0,79						
3/4	19	0,48	0,72	0,95	1,18	1,42				
7/8	22,2	0,56	0,84	1,12	1,38					
1	25,4	0,64	0,96	1,28	1,58	1,89	2,53			
1 1/4	31,8	0,8	1,2	1,6	1,97	2,37	3,17			
1 1/2	38,1	0,96	1,44	1,91	2,36	2,84	3,8			
1 3/4	44,5	1,12	1,68	2,24	2,76	3,32	4,44			
2	50,8	1,28	1,91	2,55	3,15	3,79	5,06	6,34	7,58	
2 1/4	57,2	1,44	2,16	2,87	3,55					
2 1/2	63,5	1,6	2,39	3,19	3,97	4,74	6,33	7,93	9,52	12,66
3	76,2	1,91	2,87	3,83	4,73	5,68	7,6	9,51	11,37	15,19
3 1/2	88,9	2,23	3,35	4,47	5,51					
4	101,6	2,55	3,83	5,1	6,3	7,583	10,13	12,68	15,15	20,26

PLANCHUELAS PERFORADAS

MEDIDA	PERFORACION REDONDA		
	SEPARACION A =130 MM		
D=PULGADAS (MM)	1/2"	9/16"	5/8"
1X3/16 (25,4X4,8)	5,39		
1 1/4x3/16 (31,7x4,8)	7,22	7,14	7,07
1 1/4x1/4 (31,7x6,4)	9,47	9,29	9,26
1 1/2x3/16 (38,1x4,8)	8,81	8,48	8,30
1 1/2x1/4 (38,1x6,4)	8,84	10,92	11,02




MEDIDA	PERFORACION CUADRADA		
	SEPARACION A =130 MM		
D=PULGADAS (MM)	1/2"	9/16"	5/8"
1X3/16 (25,4X4,8)	5,80		
1 1/4x3/16 (31,7x4,8)	7,15	7,02	7,00
1 1/4x1/4 (31,7x6,4)	9,34	9,24	
1 1/2x3/16 (38,1x4,8)	8,74	8,17	8,59
1 1/2x1/4 (38,1x6,4)	8,74	11,03	10,76




CUADRADO MACIZO

DENOMINACION	MEDIDA DEL LADO	PESO
	MM	KG/M
5/16"	7,94	0,49
3/8"	9,53	0,71
1/2"	12,7	1,27
9/16"	14,29	1,6
5/8"	15,88	1,98
3/4"	19,05	2,85




REDONDO MACIZO


DENOMINACION	DIAMETRO	PESO
	MM	KG/M
1/4"	6,35	0,25
5/16"	7,94	0,39
3/8"	9,53	0,56
1/2"	12,7	0,99
9/16"	14,29	1,26
5/8"	15,88	1,55
3/4"	19,05	2,24
7/8"	22,23	3,05
1"	25,4	3,98



IPN	DIMENSIONES				peso
	H	B	S	T	kg/m
80	80	42	3,9	5,9	5,9
100	100	50	4,5	6,8	8,3
120	120	58	5,1	7,7	11,2
140	140	66	5,7	8,6	14,3
160	160	74	6,3	9,5	17,9
180	180	82	6,9	10,4	21,9
200	200	90	7,5	11,3	26,2
220	220	98	8,1	12,2	31,1
240	240	106	8,7	13,1	36,2
260	260	113	9,4	14,1	41,9
280	280	119	10,1	15,2	47,9
300	300	125	10,8	16,2	54,2



UPN	DIMENSIONES				peso
	H	B	S	T	kg/m
80	80	45	6	8	8,6
100	100	50	6	8,5	10,6
120	120	55	7	9	13,3
140	140	60	7	10	16
160	160	65	7,5	10,5	18,8
180	180	70	8	11	21,9
200	200	75	8,5	11,5	25,2
220	220	80	9	12,5	29,3
240	240	85	9,5	13	33,1
260	260	90	10	14	37,8
280	280	95	10	15	41,8
300	300	100	10	16	46,1



PERFIL C

D	B	I	d	R	PESO
MM	MM	MM	MM	MM	KG/M
80	50	2,0	15	2,0	3,09
100	45	1,6	10	1,6	2,51
100	50	2,0	15	2,0	3,40
120	50	2,0	15	2,0	4,78
140	60	2,0	20	2,0	4,50
160	60	2,5	20	2,5	5,96
180	70	2,5	20	2,5	6,74
200	80	2,5	25	2,5	7,72

